



TRADE ESSENTIALS



JBKind
DOORS

CHAMPION
Leadership In Timber
www.championtimber.com

Making door purchases easy for the trade

Packed full of our most popular door designs and commodity products, the Trade Essentials brochure is a quick and easy reference guide.

Everything is at your fingertips – from on-trend Laminate and Urban Industrial doors; to popular oak and white styles; to paint grade and softwood boarded doors.

Check out our PAS 24 Security Doorset and FD30 Glazing services, as well as pre-assembled easy to install pocket door systems and great value door handle packs.

Don't forget to ask your local merchant for details of our latest deals!



For more information, call JB Kind's Sales team on **Tel: 01283 554197** or log on to **www.jbkind.com**


Door Visualiser

Helping your customers to make their door choices


The UK's first online door visualisation tool is exclusive to JB Kind! Let your customers try out more than 80 of our most popular door designs in a choice of room settings, changing the wall colour and flooring to suit their own personal taste.

The perfect way to try before you buy!

#chooseyourdoors



Scan the QR code or view online at championtimber.doorvisualiser.com




Laminate Doors
See pages 4-10



Urban Industrial
See pages 11-14




Oak Doors
See pages 15-27



White Doors
See pages 30-44

Contents

Laminates	Pages 4-10
Urban Industrial	Pages 11-14
Oak Veneer	Pages 15-27
Painted Finish	Pages 28-29
White Primed/Finished	Pages 30-38
White Moulded	Pages 39-44
Door Handle Packs	Pages 45-47
Pocket Door Systems	Pages 48-49
Veneered Flush	Pages 50-53
FD30 Glazing Service	Page 54
Flush for Paint Internal	Pages 55-57
Flush for Paint External	Page 58
Softwood Boarded External	Page 59
PAS 24 Security Doorsets	Pages 60-61
Essential Door Care and Maintenance Advice	Pages 62-63



FD30 Glazing Service
See page 54



LAMINATES



NEW Aria Black



Black laminate with a subtle stippled texture and black painted grooves
Fluted door design
Painted edges*
Semi-solid core
FD30 solid core Fire Doors 🔥
Clear flat safety glass with raised beading

Also available in Grey, Oak and White, see pages 6 & 31.



FINISHED

Size (mm)	Code
1981 x 610 x 35	BARI20G
1981 x 686 x 35	BARI23G
1981 x 762 x 35	BARI26G
1981 x 838 x 35	BARI29G

FINISHED

Size (mm)	Code
1981 x 610 x 35	BARI20
1981 x 686 x 35	BARI23
1981 x 762 x 35	BARI26
1981 x 838 x 35	BARI29

FIRE DOORS 🔥

1981 x 610 x 44	BARI20FD30
1981 x 686 x 44	BARI23FD30
1981 x 762 x 44	BARI26FD30
1981 x 838 x 44	BARI29FD30

 View both of these doors, in our Door Visualiser

*Retouching will be required after trimming, see website for more details.

NEW Aria Black Glazed



NEW Aria Grey



Light grey wood grain effect laminate with black painted grooves
Fluted door design
Painted edges*
Semi-solid core
FD30 solid core Fire Doors 🔥

FINISHED	
Size (mm)	Code
1981 x 610 x 35	GARI20
1981 x 686 x 35	GARI23
1981 x 762 x 35	GARI26
1981 x 838 x 35	GARI29
FIRE DOORS 🔥	
1981 x 610 x 44	GARI20FD30
1981 x 686 x 44	GARI23FD30
1981 x 762 x 44	GARI26FD30
1981 x 838 x 44	GARI29FD30


NEW Aria Grey Glazed



Light grey wood grain effect laminate with black painted grooves
Fluted door design
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED	
Size (mm)	Code
1981 x 610 x 35	GARI20G
1981 x 686 x 35	GARI23G
1981 x 762 x 35	GARI26G
1981 x 838 x 35	GARI29G

NEW Aria Oak



Oak wood grain effect laminate with black painted grooves
Fluted door design
Painted edges*
Semi-solid core
FD30 solid core Fire Doors 🔥

FINISHED	
Size (mm)	Code
1981 x 610 x 35	OARI20
1981 x 686 x 35	OARI23
1981 x 762 x 35	OARI26
1981 x 838 x 35	OARI29
FIRE DOORS 🔥	
1981 x 610 x 44	OARI20FD30
1981 x 686 x 44	OARI23FD30
1981 x 762 x 44	OARI26FD30
1981 x 838 x 44	OARI29FD30

NEW Aria Oak Glazed



Oak wood grain effect laminate with black painted grooves
Fluted door design
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED	
Size (mm)	Code
1981 x 610 x 35	OARI20G
1981 x 686 x 35	OARI23G
1981 x 762 x 35	OARI26G
1981 x 838 x 35	OARI29G

Tigris Light Grey



FINISHED	
Size (mm)	Code
1981 x 610 x 35	LAVTIG20
1981 x 686 x 35	LAVTIG23
1981 x 762 x 35	LAVTIG26
1981 x 838 x 35	LAVTIG29
FIRE DOORS 🔥	
1981 x 610 x 44	LAVTIG20FD30
1981 x 686 x 44	LAVTIG23FD30
1981 x 762 x 44	LAVTIG26FD30
1981 x 838 x 44	LAVTIG29FD30

Finished laminate with light grey coloured wood effect
5 ladder style panels with grey coloured grooves
Painted edges*
Semi-solid core
FD30 solid core Fire Doors 🔥

Tigris Light Grey Slim Glazed



Finished laminate with light grey coloured wood effect
5 ladder style panels with grey coloured grooves
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED	
Size (mm)	Code
1981 x 686 x 35	LAVTIG23G
1981 x 762 x 35	LAVTIG26G
1981 x 838 x 35	LAVTIG29G

Also available in Dark Grey, Ivory, Oak and White, see pages 8, 18 & 33.

NEW Tigris Light Grey Full Glazed



Finished laminate with light grey coloured wood effect
Painted edges*
Semi-solid core
Clear flat safety glass with horizontal etched lines and raised beading

FINISHED	
Size (mm)	Code
1981 x 610 x 35	LAVMED20G
1981 x 686 x 35	LAVMED23G
1981 x 762 x 35	LAVMED26G
1981 x 838 x 35	LAVMED29G

Glazed fire doors are available to order.



Also available in Black and White, see pages 5 & 31.

Vi View all these doors, in our Door Visualiser

*Retouching will be required after trimming, see website for more details.

Add the finishing touch... see page 45



Tigris Dark Grey



Finished laminate with dark grey coloured wood effect
5 ladder style panels with dark grey coloured grooves
Painted edges*
Semi-solid core
FD30 solid core
Fire Doors 🔥

FINISHED	
Size (mm)	Code
1981 x 610 x 35	CINTIG20
1981 x 686 x 35	CINTIG23
1981 x 762 x 35	CINTIG26
1981 x 838 x 35	CINTIG29
FIRE DOORS 🔥	
1981 x 610 x 44	CINTIG20FD30
1981 x 686 x 44	CINTIG23FD30
1981 x 762 x 44	CINTIG26FD30
1981 x 838 x 44	CINTIG29FD30

Tigris Dark Grey Glazed



Finished laminate with dark grey coloured wood effect
5 ladder style panels with dark grey coloured grooves
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED	
Size (mm)	Code
1981 x 686 x 35	CINTIG23G
1981 x 762 x 35	CINTIG26G
1981 x 838 x 35	CINTIG29G
Glazed fire doors are available to order.	

Tigris Ivory



Finished laminate with ivory coloured wood effect
5 ladder style panels with light coloured grooves
Painted edges*
Semi-solid core
FD30 solid core
Fire Doors 🔥

FINISHED	
Size (mm)	Code
1981 x 610 x 35	IVOTIG20
1981 x 686 x 35	IVOTIG23
1981 x 762 x 35	IVOTIG26
1981 x 838 x 35	IVOTIG29
FIRE DOORS 🔥	
1981 x 610 x 44	IVOTIG20FD30
1981 x 686 x 44	IVOTIG23FD30
1981 x 762 x 44	IVOTIG26FD30
1981 x 838 x 44	IVOTIG29FD30

Tigris Ivory Glazed



Finished laminate with ivory coloured wood effect
5 ladder style panels with light coloured grooves
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED	
Size (mm)	Code
1981 x 686 x 35	IVOTIG23G
1981 x 762 x 35	IVOTIG26G
1981 x 838 x 35	IVOTIG29G
Glazed fire doors are available to order.	

Hudson Oak



Finished laminate with oak coloured wood effect
Grooved cottage style central panel
Painted edges*
Semi-solid core
FD30 solid core
Fire Doors 🔥

FINISHED	
Size (mm)	Code
1981 x 610 x 35	LHUD20
1981 x 686 x 35	LHUD23
1981 x 762 x 35	LHUD26
1981 x 838 x 35	LHUD29
2040 x 626 x 40	LHUD626
2040 x 726 x 40	LHUD726
2040 x 826 x 40	LHUD826
FIRE DOORS 🔥	
1981 x 610 x 44	LHUD20FD30
1981 x 686 x 44	LHUD23FD30
1981 x 762 x 44	LHUD26FD30
1981 x 838 x 44	LHUD29FD30
2040 x 626 x 44	LHUD626FD30
2040 x 726 x 44	LHUD726FD30
2040 x 826 x 44	LHUD826FD30
2040 x 926 x 44	LHUD926FD30


Hudson Oak Glazed



Finished laminate with oak coloured wood effect
Grooved cottage style central panel
Painted edges*
Clear flat safety glass with raised beading
Semi-solid core

FINISHED	
Size (mm)	Code
1981 x 686 x 35	LHUDG23
1981 x 762 x 35	LHUDG26
1981 x 838 x 35	LHUDG29
2040 x 626 x 40	LHUDG626
2040 x 726 x 40	LHUDG726
2040 x 826 x 40	LHUDG826

Colorado Grey



Finished laminate with grey coloured wood effect
Grooved cottage style central panel
Painted edges*
Semi-solid core
FD30 solid core
Fire Doors 🔥

FINISHED	
Size (mm)	Code
1981 x 610 x 35	LCOLO20
1981 x 686 x 35	LCOLO23
1981 x 762 x 35	LCOLO26
1981 x 838 x 35	LCOLO29
FIRE DOORS 🔥	
1981 x 610 x 44	LCOLO20FD30
1981 x 686 x 44	LCOLO23FD30
1981 x 762 x 44	LCOLO26FD30
1981 x 838 x 44	LCOLO29FD30

Colorado Grey Glazed



Finished laminate with grey coloured wood effect
Grooved cottage style bottom panel
Painted edges*
Semi-solid core
Clear flat safety glass with etched lines and raised beading

FINISHED	
Size (mm)	Code
1981 x 686 x 35	LCOLO23G
1981 x 762 x 35	LCOLO26G
1981 x 838 x 35	LCOLO29G

Colorado is also available in Oak and White, see pages 16 & 32.



Also available in Light Grey, Oak and White, see pages 7, 18 & 31.



Ask for details about Walnut options.

*Retouching will be required after trimming, see website for more details.

Add the finishing touch... see page 45



VI View all these doors, apart from Hudson, in our Door Visualiser

**Alabama
Light Grey**



Finished laminate with light smoky grey coloured wood effect
Slightly recessed centre panel
Painted edges*
Semi-solid core
FD30 solid core
Fire Doors 🔥

FINISHED

Size (mm)	Code
1981 x 610 x 35	LALAFUM20
1981 x 686 x 35	LALAFUM23
1981 x 762 x 35	LALAFUM26
1981 x 838 x 35	LALAFUM29

FIRE DOORS 🔥

1981 x 686 x 44	LALAFUM23FD30
1981 x 762 x 44	LALAFUM26FD30
1981 x 838 x 44	LALAFUM29FD30

**Alabama Light
Grey Glazed**




Finished laminate with light smoky grey coloured wood effect
Slightly recessed centre panel
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED

Size (mm)	Code
1981 x 686 x 35	LALAFUMG23
1981 x 762 x 35	LALAFUMG26
1981 x 838 x 35	LALAFUMG29

**Alabama
Dark Grey**



Finished laminate with dark grey coloured wood effect
Slightly recessed centre panel
Painted edges*
Semi-solid core
FD30 solid core
Fire Doors 🔥

FINISHED

Size (mm)	Code
1981 x 610 x 35	LALACIN20
1981 x 686 x 35	LALACIN23
1981 x 762 x 35	LALACIN26
1981 x 838 x 35	LALACIN29

FIRE DOORS 🔥

1981 x 686 x 44	LALACIN23FD30
1981 x 762 x 44	LALACIN26FD30
1981 x 838 x 44	LALACIN29FD30

**Alabama Dark
Grey Glazed**



Finished laminate with dark grey coloured wood effect
Slightly recessed centre panel
Painted edges*
Semi-solid core
Clear flat safety glass with raised beading

FINISHED

Size (mm)	Code
1981 x 686 x 35	LALACING23
1981 x 762 x 35	LALACING26
1981 x 838 x 35	LALACING29



URBAN INDUSTRIAL

Vi View all these doors in our Door Visualiser

Add the finishing touch...
see page 45



*Retouching will be required after trimming, see website for more details.



Cosmo Grey



Finished graphite grey laminate
Solid framing and lock blocks
Robust 9mm solid panels
Clear flat safety glass
Constructed with individual panes of glass for added stability
No risk of drilling into glass on glazed door
Suitable for regular door ironmongery

Make a statement with a pocket door system
see page 48

View these doors in our Door Visualiser

FINISHED	
Size (mm)	Code
1981 x 610 x 35	UGRCOS20
1981 x 686 x 35	UGRCOS23
1981 x 762 x 35	UGRCOS26
1981 x 838 x 35	UGRCOS29

Add the finishing touch...
see page 45



Cosmo Grey
Clear Glass



FINISHED	
Size (mm)	Code
1981 x 610 x 35	UGRCOS20G
1981 x 686 x 35	UGRCOS23G
1981 x 762 x 35	UGRCOS26G
1981 x 838 x 35	UGRCOS29G



Civic Black



Black painted finish
Solid framing and lock blocks
Robust 9mm MDF panels
Suitable for regular door ironmongery

FINISHED	
Size (mm)	Code
1981 x 610 x 35	UCIV20BL
1981 x 686 x 35	UCIV23BL
1981 x 762 x 35	UCIV26BL
1981 x 838 x 35	UCIV29BL

Civic Black
Clear Glass



Black painted finish
Solid framing and lock blocks
Clear flat safety glass
Constructed with individual panes for added stability
No risk of drilling into glass
Suitable for regular door ironmongery

FINISHED	
Size (mm)	Code
1981 x 610 x 35	UCIV20GBL
1981 x 686 x 35	UCIV23GBL
1981 x 762 x 35	UCIV26GBL
1981 x 838 x 35	UCIV29GBL

Plaza Black



Black painted finish
Solid framing and lock blocks
Robust 9mm MDF panels
Suitable for regular door ironmongery

FINISHED	
Size (mm)	Code
1981 x 610 x 35	UPLA20BL
1981 x 686 x 35	UPLA23BL
1981 x 762 x 35	UPLA26BL
1981 x 838 x 35	UPLA29BL

Plaza Black
Clear Glass



Black painted finish
Solid framing and lock blocks
Clear flat safety glass
Constructed with individual panes for added stability
No risk of drilling into glass
Suitable for regular door ironmongery

FINISHED	
Size (mm)	Code
1981 x 610 x 35	UPLA20GBL
1981 x 686 x 35	UPLA23GBL
1981 x 762 x 35	UPLA26GBL
1981 x 838 x 35	UPLA29GBL

All these doors are also available in white - see website for more details.

View all these doors in our Door Visualiser

City Black



Black painted finish
Solid framing and lock blocks
Robust 9mm MDF panels
Suitable for regular door ironmongery

FINISHED

Size (mm)	Code
1981 x 610 x 35	UCIT20BL
1981 x 686 x 35	UCIT23BL
1981 x 762 x 35	UCIT26BL
1981 x 838 x 35	UCIT29BL

City Black
Clear Glass



Black painted finish
Solid framing and lock blocks
Clear flat safety glass
Also available with tinted glass
Constructed with individual panes for added stability
No risk of drilling into glass
Suitable for regular door ironmongery

FINISHED

Size (mm)	Code
1981 x 610 x 35	UCIT20GBL
1981 x 686 x 35	UCIT23GBL
1981 x 762 x 35	UCIT26GBL
1981 x 838 x 35	UCIT29GBL

Metro Black




Black painted finish
Solid framing and lock blocks
Robust 9mm MDF panels
Suitable for regular door ironmongery

FINISHED

Size (mm)	Code
1981 x 610 x 35	UMET20BL
1981 x 686 x 35	UMET23BL
1981 x 762 x 35	UMET26BL
1981 x 838 x 35	UMET29BL

Metro Black
Clear Glass



Black painted finish
Solid framing and lock blocks
Clear flat safety glass
Constructed with individual panes for added stability
No risk of drilling into glass
Suitable for regular door ironmongery

FINISHED

Size (mm)	Code
1981 x 610 x 35	UMET20GBL
1981 x 686 x 35	UMET23GBL
1981 x 762 x 35	UMET26GBL
1981 x 838 x 35	UMET29GBL



OAK

All these doors are also available in white - see website for more details.

View all these doors in our Door Visualiser

Add the finishing touch...
see page 45



Thames Oak

Unfinished and finished oak veneer

Grooved centre panel is full door thickness

Long edge lippings – 18mm solid hardwood


Solid hardwood inlays

Solid core construction

FD30 Fire Doors 🔥

🔒 Option for PAS 24

**METRIC
SIZES
AVAILABLE**



Also available in Grey and White, see pages 9 & 32.



Add the finishing touch...

see page 45



Matching Bi-fold available, ask for details.



UNFINISHED

Size (mm)	Code
1981 x 457 x 35	OTHA16
1981 x 533 x 35	OTHA19
1981 x 610 x 35	OTHA20
1981 x 686 x 35	OTHA23
1981 x 711 x 35	OTHA24
1981 x 762 x 35	OTHA26
1981 x 838 x 35	OTHA29
2040 x 626 x 40	OTHA626
2040 x 726 x 40	OTHA726
2040 x 826 x 40	OTHA826
2040 x 926 x 40	OTHA926

UNFINISHED FIRE DOORS 🔥

Size (mm)	Code
1981 x 610 x 44	OTHA20FD30
1981 x 686 x 44	OTHA23FD30
1981 x 762 x 44	OTHA26FD30
1981 x 838 x 44	OTHA29FD30
2040 x 726 x 44	OTHA726FD30
2040 x 826 x 44	OTHA826FD30
2040 x 926 x 44	OTHA926FD30

FINISHED

Size (mm)	Code
1981 x 457 x 35	VOTHA16
1981 x 533 x 35	VOTHA19
1981 x 610 x 35	VOTHA20
1981 x 686 x 35	VOTHA23
1981 x 711 x 35	VOTHA24
1981 x 762 x 35	VOTHA26
1981 x 838 x 35	VOTHA29
2040 x 626 x 40	VOTHA626
2040 x 726 x 40	VOTHA726
2040 x 826 x 40	VOTHA826
2040 x 926 x 40	VOTHA926

FINISHED FIRE DOORS 🔥

Size (mm)	Code
1981 x 610 x 44	VOTHA20FD30
1981 x 686 x 44	VOTHA23FD30
1981 x 762 x 44	VOTHA26FD30
1981 x 838 x 44	VOTHA29FD30
2040 x 726 x 44	VOTHA726FD30
2040 x 826 x 44	VOTHA826FD30
2040 x 926 x 44	VOTHA926FD30

Thames Oak 1 Light



Unfinished and finished oak veneer

Clear flat safety glass with etched lines

Solid core


UNFINISHED

Size (mm)	Code
1981 x 610 x 35	OTHAIL20*
1981 x 686 x 35	OTHAIL23
1981 x 762 x 35	OTHAIL26
1981 x 838 x 35	OTHAIL29
2040 x 626 x 40	OTHAIL626
2040 x 726 x 40	OTHAIL726
2040 x 826 x 40	OTHAIL826

FINISHED

Size (mm)	Code
1981 x 686 x 35	VOTHAIL23
1981 x 762 x 35	VOTHAIL26
1981 x 838 x 35	VOTHAIL29
2040 x 626 x 40	VOTHAIL626
2040 x 726 x 40	VOTHAIL726
2040 x 826 x 40	VOTHAIL826

Thames Oak 1 Light FD30



Unfinished oak veneer

Clear fire glass with etched lines and raised beading

Solid core

FD30 Fire Doors 🔥

UNFINISHED* FIRE DOORS 🔥

Size (mm)	Code
1981 x 686 x 44	OTHAIL23FD30
1981 x 762 x 44	OTHAIL26FD30
1981 x 838 x 44	OTHAIL29FD30

Thames Oak 1/2 Light



Unfinished and finished oak veneer

Grooved bottom panel is full door thickness

Clear flat safety glass with etched lines


Solid core

UNFINISHED

Size (mm)	Code
1981 x 686 x 35	OTHAVL23
1981 x 762 x 35	OTHAVL26
1981 x 838 x 35	OTHAVL29
2040 x 626 x 40	OTHAVL626
2040 x 726 x 40	OTHAVL726
2040 x 826 x 40	OTHAVL826

FINISHED

Thames 1/2 Light is also available in Grey and White, see pages 9 & 32.



Thames Oak 6 Light



Unfinished and finished oak veneer

Grooved bottom panel is full door thickness

Clear flat safety glass


Solid core

UNFINISHED

Size (mm)	Code
1981 x 686 x 35	OTHA6L23
1981 x 762 x 35	OTHA6L26
1981 x 838 x 35	OTHA6L29
2040 x 626 x 40	OTHA6L626
2040 x 726 x 40	OTHA6L726
2040 x 826 x 40	OTHA6L826

FINISHED

1981 x 686 x 35 VOTHA6L23
1981 x 762 x 35 VOTHA6L26
1981 x 838 x 35 VOTHA6L29



VI View Thames and Thames 1 Light in our Door Visualiser

*Finished available to order

Tigris Oak



FINISHED	
Size (mm)	Code
1981 x 533 x 35	OISI19
1981 x 610 x 35	OISI20
1981 x 686 x 35	OISI23
1981 x 762 x 35	OISI26
1981 x 838 x 35	OISI29
2040 x 626 x 40	OISI626
2040 x 726 x 40	OISI726
2040 x 826 x 40	OISI826
FIRE DOORS	
1981 x 533 x 44	OISI19FD30
1981 x 610 x 44	OISI20FD30
1981 x 686 x 44	OISI23FD30
1981 x 762 x 44	OISI26FD30
1981 x 838 x 44	OISI29FD30
2040 x 726 x 44	OISI726FD30
2040 x 826 x 44	OISI826FD30
2040 x 926 x 44	OISI926FD30

Finished oak veneer
5 ladder style panels,
with real wood
grooves
Solid core
Certifire FD30
Fire Doors
Option for PAS 24

Tigris and Emral are available in
Light Grey, Ivory, Dark Grey and
White, see pages 7, 8 & 33.



Emral Oak



Finished oak veneer
5 ladder style panels,
with real wood grooves
Clear flat safety glass
(fire glass for FD30) with
raised beading
Solid core
Certifire FD30
Fire Doors

FINISHED	
Size (mm)	Code
1981 x 686 x 35	OEMR23
1981 x 762 x 35	OEMR26
1981 x 838 x 35	OEMR29
FIRE DOORS	
1981 x 686 x 44	OEMR23FD30
1981 x 762 x 44	OEMR26FD30
1981 x 838 x 44	OEMR29FD30

Medina Oak



Finished oak veneer
Clear diamond cut
safety glass with
raised beading
Solid core

FINISHED	
Size (mm)	Code
1981 x 686 x 35	OMED23G
1981 x 762 x 35	OMED26G
1981 x 838 x 35	OMED29G
2040 x 626 x 40	OMED626G
2040 x 726 x 40	OMED726G
2040 x 826 x 40	OMED826G
Glazed fire doors are available to order.	

Ask for details
about Walnut
options for Tigris
and Mistral.



Mistral Oak



Finished oak veneer
3 ladder style panels,
grooved into MDF
Semi-solid core
FD30 solid core
Fire Doors
Option for PAS 24

FINISHED	
Size (mm)	Code
1981 x 533 x 35	OMIS19
1981 x 610 x 35	OMIS20
1981 x 686 x 35	OMIS23
1981 x 762 x 35	OMIS26
1981 x 838 x 35	OMIS29
2040 x 526 x 40	OMIS526
2040 x 626 x 40	OMIS626
2040 x 726 x 40	OMIS726
2040 x 826 x 40	OMIS826
FIRE DOORS	
1981 x 610 x 44	OMIS20FD30
1981 x 686 x 44	OMIS23FD30
1981 x 762 x 44	OMIS26FD30
1981 x 838 x 44	OMIS29FD30
2040 x 726 x 44	OMIS726FD30
2040 x 826 x 44	OMIS826FD30
2040 x 926 x 44	OMIS926FD30

Mistral is also
available in White,
see page 33.

Mistral Oak Glazed



Finished oak veneer
3 ladder style panels,
grooved into MDF
Semi-solid core
Clear flat safety glass,
flush beaded

FINISHED	
Size (mm)	Code
1981 x 686 x 35	OMIS23G
1981 x 762 x 35	OMIS26G
1981 x 838 x 35	OMIS29G
2040 x 626 x 40	OMIS626G
2040 x 726 x 40	OMIS726G
2040 x 826 x 40	OMIS826G
Glazed fire doors with raised beading available to order.	

Matching
Bi-fold
available, ask
for details.



Palomino



Unfinished oak veneer
with real wood grooves
7 ladder style panels
Solid core
FD30 Fire Doors
Option for PAS 24

UNFINISHED*	
Size (mm)	Code
1981 x 610 x 35	OPAL20
1981 x 686 x 35	OPAL23
1981 x 762 x 35	OPAL26
1981 x 838 x 35	OPAL29
FIRE DOORS	
1981 x 610 x 44	OPAL20FD30
1981 x 686 x 44	OPAL23FD30
1981 x 762 x 44	OPAL26FD30
1981 x 838 x 44	OPAL29FD30



Palomino Glazed



Unfinished oak veneer
with real wood grooves
7 ladder style panels
Solid core
Clear flat safety glass
with raised beading

UNFINISHED*	
Size (mm)	Code
1981 x 686 x 35	OPAL23G
1981 x 762 x 35	OPAL26G
1981 x 838 x 35	OPAL29G
Glazed fire doors available to order with clear flat glass.	

View all these
doors in our
Door Visualiser

*Finished available to order

Ostria



Finished oak veneer
Horizontal veneers
with vertical stiles
Semi-solid core
Certifire FD30 solid core
Fire Doors 🔒
🔒 Option for PAS 24

FINISHED

Size (mm)	Code
1981 x 610 x 35	OOST20
1981 x 686 x 35	OOST23
1981 x 762 x 35	OOST26
1981 x 838 x 35	OOST29
FIRE DOORS 🔒	
1981 x 686 x 44	OOST23FD30
1981 x 762 x 44	OOST26FD30
1981 x 838 x 44	OOST29FD30

Ostria Glazed



Finished oak veneer
Horizontal veneers
with vertical stiles
Clear flat safety glass,
flush beaded
Semi-solid core

FINISHED

Size (mm)	Code
1981 x 686 x 35	OOST23G
1981 x 762 x 35	OOST26G
1981 x 838 x 35	OOST29G
Glazed fire doors with raised beading available to order.	

Axis Oak



Finished oak veneer
Wide shaker panel
design
Solid core
FD30 Fire Doors 🔒

FINISHED

Size (mm)	Code
1981 x 610 x 35	VOAXI20
1981 x 686 x 35	VOAXI23
1981 x 762 x 35	VOAXI26
1981 x 838 x 35	VOAXI29
FIRE DOORS 🔒	
1981 x 686 x 44	VOAXI23FD30
1981 x 762 x 44	VOAXI26FD30
1981 x 838 x 44	VOAXI29FD30



Axis is also
available in White,
see page 34.

Axis Oak
Glazed

Finished oak veneer
Wide shaker panel
design
Clear flat safety glass
Solid core

FINISHED

Size (mm)	Code
1981 x 686 x 35	VOAXI23G
1981 x 762 x 35	VOAXI26G
1981 x 838 x 35	VOAXI29G

Sherwood



Finished oak veneer
Raised shaped panels
Solid core
FD30 Fire Doors 🔒

FINISHED

Size (mm)	Code
1981 x 610 x 35	VSO4P20
1981 x 686 x 35	VSO4P23
1981 x 762 x 35	VSO4P26
1981 x 838 x 35	VSO4P29
FIRE DOORS 🔒	
1981 x 610 x 44	VSO4P20FD30
1981 x 686 x 44	VSO4P23FD30
1981 x 762 x 44	VSO4P26FD30
1981 x 838 x 44	VSO4P29FD30

Dean



Finished oak veneer
Raised shaped panels
Clear flat safety glass
Solid core

FINISHED

Size (mm)	Code
1981 x 686 x 35	VSO6L2P23G
1981 x 762 x 35	VSO6L2P26G
1981 x 838 x 35	VSO6L2P29G

Charnwood



Finished oak veneer
Raised shaped panels
Solid core
FD30 Fire Doors 🔒

FINISHED

Size (mm)	Code
1981 x 533 x 35	VSO2P19
1981 x 610 x 35	VSO2P20
1981 x 686 x 35	VSO2P23
1981 x 762 x 35	VSO2P26
1981 x 838 x 35	VSO2P29
FIRE DOORS 🔒	
1981 x 686 x 44	VSO2P23FD30
1981 x 762 x 44	VSO2P26FD30
1981 x 838 x 44	VSO2P29FD30

Arden



Finished oak veneer
Raised shaped panel
Clear flat safety glass
Solid core

FINISHED

Size (mm)	Code
1981 x 762 x 35	VSO6L1P26G
1981 x 838 x 35	VSO6L1P29G

Make a
statement with
a pocket door
system
see page 48

Vi View Axis Oak in our Door Visualiser

Add a door
handle pack...
see page 45



Grizedale



Finished oak veneer
Raised shaped panel
Solid core
FD30 Fire Doors 🔥

FINISHED

Size (mm)	Code
1981 x 610 x 35	VSO6P20
1981 x 686 x 35	VSO6P23
1981 x 762 x 35	VSO6P26
1981 x 838 x 35	VSO6P29
FIRE DOORS 🔥	
1981 x 686 x 44	VSO6P23FD30
1981 x 762 x 44	VSO6P26FD30
1981 x 838 x 44	VSO6P29FD30

Gisburn



Finished oak veneer
Clear flat safety glass
Solid core

FINISHED

Size (mm)	Code
1981 x 686 x 35	VSO10L23G
1981 x 762 x 35	VSO10L26G
1981 x 838 x 35	VSO10L29G

Trent



Unfinished and
finished oak veneer
Raised shaped panels
Solid core
FD30 Fire Doors 🔥

UNFINISHED

Size (mm)	Code
1981 x 457 x 35	OTRE16*
1981 x 533 x 35	OTRE19*
1981 x 610 x 35	OTRE20
1981 x 686 x 35	OTRE23
1981 x 762 x 35	OTRE26
1981 x 838 x 35	OTRE29
2032 x 813 x 35	OTRE28*
UNFINISHED FIRE DOORS 🔥	
1981 x 686 x 44	OTRE23FD30
1981 x 762 x 44	OTRE26FD30
1981 x 838 x 44	OTRE29FD30

FINISHED

Size (mm)	Code
1981 x 610 x 35	VOTRE20
1981 x 686 x 35	VOTRE23
1981 x 762 x 35	VOTRE26
1981 x 838 x 35	VOTRE29
FINISHED FIRE DOORS 🔥	
1981 x 686 x 44	VOTRE23FD30
1981 x 762 x 44	VOTRE26FD30
1981 x 838 x 44	VOTRE29FD30

Dove



Unfinished and
finished oak veneer
Raised shaped panel
Clear bevelled
safety glass
Solid core

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	ODOV20
1981 x 686 x 35	ODOV23
1981 x 762 x 35	ODOV26
1981 x 838 x 35	ODOV29
FINISHED	
1981 x 762 x 35	VODOV26

Dove Pairs:
rebat meeting stiles,
left hand open away

UNFINISHED*

Size (mm)	Code
1981 x 1219 x 35	ODOV40
1981 x 1372 x 35	ODOV46
1981 x 1524 x 35	ODOV50

*Finished available to order

Derwent



Unfinished oak veneer
Flat panels
Solid core
FD30 Fire Doors 🔥

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	ODER20
1981 x 686 x 35	ODER23
1981 x 762 x 35	ODER26
1981 x 838 x 35	ODER29
2032 x 813 x 35	ODER28
FIRE DOORS 🔥	
1981 x 686 x 44	ODER23FD30
1981 x 762 x 44	ODER26FD30
1981 x 838 x 44	ODER29FD30

Severn



Unfinished oak veneer
Flat panels
Clear flat safety glass
Solid core

UNFINISHED*

Size (mm)	Code
1981 x 686 x 35	OSEV23G
1981 x 762 x 35	OSEV26G
1981 x 838 x 35	OSEV29G

Eden



Unfinished oak veneer
Flat panel with
decorative muntins
Solid core
FD30 Fire Doors 🔥

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	OEDE20
1981 x 686 x 35	OEDE23
1981 x 762 x 35	OEDE26
1981 x 838 x 35	OEDE29
FIRE DOORS 🔥	
1981 x 686 x 44	OEDE23FD30
1981 x 762 x 44	OEDE26FD30
1981 x 838 x 44	OEDE29FD30

Darwen



Unfinished oak veneer
Decorative muntins
Solid core
Clear flat safety glass

UNFINISHED*

Size (mm)	Code
1981 x 686 x 35	ODAR23G
1981 x 762 x 35	ODAR26G
1981 x 838 x 35	ODAR29G

Eden and Darwen
are also available in
White, see page 36.

Make a
statement with
a pocket door
system
see page 48

Add a door
handle pack...
see page 45



Rushmore Oak

Etna

Fuji

Fuji FD30

Eiger

Matterhorn

Snowdon

Nevis



Unfinished oak veneer
Four recessed flat panels
Solid core
FD30 Fire Doors 🔥



Unfinished oak veneer
Full recessed flat panel
Solid core
FD30 Fire Doors 🔥



Unfinished oak veneer
Clear flat safety glass
Solid core



Unfinished oak veneer
Clear flat fire glass with raised beading
Solid core
FD30 Fire Doors 🔥



Unfinished oak veneer
Two recessed flat panels
Solid core
FD30 Fire Doors 🔥



Unfinished oak veneer
Solid core
Clear flat safety glass



Unfinished oak veneer
Four recessed flat panels
Solid core
FD30 Fire Doors 🔥



Unfinished oak veneer
Clear flat safety glass
Solid core

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	ORUS20
1981 x 686 x 35	ORUS23
1981 x 762 x 35	ORUS26
1981 x 838 x 35	ORUS29

FIRE DOORS 🔥

1981 x 686 x 44	ORUS23FD30
1981 x 762 x 44	ORUS26FD30
1981 x 838 x 44	ORUS29FD30

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	OETN20
1981 x 686 x 35	OETN23
1981 x 762 x 35	OETN26
1981 x 838 x 35	OETN29

FIRE DOORS 🔥

1981 x 686 x 44	OETN23FD30
1981 x 762 x 44	OETN26FD30
1981 x 838 x 44	OETN29FD30

UNFINISHED*

Size (mm)	Code
1981 x 686 x 35	OFUJ23
1981 x 762 x 35	OFUJ26
1981 x 838 x 35	OFUJ29

UNFINISHED* FIRE DOORS 🔥

Size (mm)	Code
1981 x 686 x 44	OFUJ23FD30
1981 x 762 x 44	OFUJ26FD30
1981 x 838 x 44	OFUJ29FD30

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	OEIG20
1981 x 686 x 35	OEIG23
1981 x 762 x 35	OEIG26
1981 x 838 x 35	OEIG29

FIRE DOORS 🔥

1981 x 686 x 44	OEIG23FD30
1981 x 762 x 44	OEIG26FD30
1981 x 838 x 44	OEIG29FD30

UNFINISHED*

Size (mm)	Code
1981 x 686 x 35	OMAT23
1981 x 762 x 35	OMAT26
1981 x 838 x 35	OMAT29

UNFINISHED*

Size (mm)	Code
1981 x 610 x 35	OSNO20
1981 x 686 x 35	OSNO23
1981 x 762 x 35	OSNO26
1981 x 838 x 35	OSNO29

FIRE DOORS 🔥

1981 x 686 x 44	OSNO23FD30
1981 x 762 x 44	OSNO26FD30
1981 x 838 x 44	OSNO29FD30

UNFINISHED*

Size (mm)	Code
1981 x 686 x 35	ONEV23
1981 x 762 x 35	ONEV26
1981 x 838 x 35	ONEV29


Rushmore, Etna and Fuji are also available in White, see pages 35 & 36.

Vi View all these doors, apart from Eiger and Matterhorn, in our Door Visualiser

Matching Bi-folds available, ask for details.



*Finished available to order



Add a door handle pack... see page 45

Snowdon and Nevis are also available in White, see page 35.

Matching Bi-fold available, ask for details.



Rustic Oak Ledged



Unfinished oak face
Natural knotty appearance
Solid core

UNFINISHED*

Size (mm)	Code
1981 x 686 x 40	ROLED23
1981 x 762 x 40	ROLED26
1981 x 838 x 40	ROLED29

*Finished
available
to order



If you wish to
create a Ledged
and Braced
style, the Braces
are available
to purchase
separately.

Note:
40mm thickness = 20mm plank + 20mm ledge



LEDGED BRACE PACK (2 PER PACK)

Size (mm)	Code
1000 x 120 x 15	ROLEDBRPACK



Rustic Oak 4 Panel



Finished oak veneer
Natural knotty
appearance
Recessed flat panels
Solid core

FINISHED

Size (mm)	Code
1981 x 610 x 35	RO4P20
1981 x 686 x 35	RO4P23
1981 x 762 x 35	RO4P26
1981 x 838 x 35	RO4P29

Rustic Oak 4 Panel Glazed



Finished oak veneer
Natural knotty
appearance
Recessed flat panels
Clear flat safety glass
Solid core

FINISHED

Size (mm)	Code
1981 x 762 x 35	RO4P2TL26

Rustic Oak DX 4 Panel



Finished oak veneer
Natural knotty
appearance
Recessed flat panels
Solid core

FINISHED

Size (mm)	Code
1981 x 610 x 35	RODX20
1981 x 686 x 35	RODX23
1981 x 762 x 35	RODX26
1981 x 838 x 35	RODX29

Rustic Oak DX Glazed



Finished oak veneer
Natural knotty
appearance
Recessed flat panels
Opaque flat safety glass
Solid core

FINISHED

Size (mm)	Code
1981 x 762 x 35	RODXTL26

 View Rustic Oak 4 Panel and
DX in our Door Visualiser

Add a door
handle pack...
see page 45





PAINTED FINISH



PAINTED FINISH

Pintado Grey



Painted mid-grey finish with vertical grain
Painted edges*
Semi-solid core
Certifire FD30 solid core Fire Doors 🔥
🔒 Option for PAS 24

FINISHED

Size (mm)	Code
1981 x 610 x 35	NGPINT20
1981 x 686 x 35	NGPINT23
1981 x 762 x 35	NGPINT26
1981 x 838 x 35	NGPINT29
FIRE DOORS 🔥	
1981 x 610 x 44	NGPINT20FD30
1981 x 686 x 44	NGPINT23FD30
1981 x 762 x 44	NGPINT26FD30
1981 x 838 x 44	NGPINT29FD30

Pintado Grey Glazed




Painted mid-grey finish with vertical grain
Clear flat safety glass with raised beading
Painted edges*
Semi-solid core

FINISHED

Size (mm)	Code
1981 x 686 x 35	NGPINT23G
1981 x 762 x 35	NGPINT26G
1981 x 838 x 35	NGPINT29G
Glazed fire doors available to order	

Tate



Painted oak finish with vertical grain
5 horizontal panels, grooved into MDF
Painted edges*
Standard core
Certifire FD30 solid core Fire Doors 🔥

FINISHED

Size (mm)	Code
1981 x 610 x 35	GTAT20
1981 x 686 x 35	GTAT23
1981 x 762 x 35	GTAT26
1981 x 838 x 35	GTAT29
FIRE DOORS 🔥	
1981 x 610 x 44	GTAT20FD30
1981 x 686 x 44	GTAT23FD30
1981 x 762 x 44	GTAT26FD30
1981 x 838 x 44	GTAT29FD30

Louvre



Painted oak finish with vertical grain
5 horizontal panels, grooved into MDF
Clear flat safety glass with raised beading
Painted edges*
Standard core

FINISHED

Size (mm)	Code
1981 x 686 x 35	GLOU23
1981 x 762 x 35	GLOU26
1981 x 838 x 35	GLOU29
Glazed fire doors available to order	

Add the finishing touch...
see page 45



vi View Pintado Grey in our Door Visualiser

*Retouching will be required after trimming, see website for more details.



WHITE



WHITE PRIMED

NEW Aria White



White primed
Fluted door design
Solid core
FD30 Fire Doors 🔥
Clear flat safety glass with
raised beading

Also available in Black, Grey
and Oak, see pages 5 & 6.



PRIMED

Size (mm)	Code
1981 x 610 x 35	WARI20G
1981 x 686 x 35	WARI23G
1981 x 762 x 35	WARI26G
1981 x 838 x 35	WARI29G

NEW Aria White Glazed



 View these doors in our Door Visualiser



PRIMED

Size (mm)	Code
1981 x 610 x 35	WARI20
1981 x 686 x 35	WARI23
1981 x 762 x 35	WARI26
1981 x 838 x 35	WARI29

FIRE DOORS 🔥

1981 x 610 x 44	WARI20FD30
1981 x 686 x 44	WARI23FD30
1981 x 762 x 44	WARI26FD30
1981 x 838 x 44	WARI29FD30

NEW Thames White

NEW Thames White 1/2 Light

White primed
Grooved cottage style panel
Semi-solid core
FD30 solid core Fire Doors 🔥
Clear flat safety glass with raised beading
🔒 Option for PAS 24

METRIC SIZES AVAILABLE

Add the finishing touch...
see page 45



METRIC SIZES AVAILABLE

Also available
in Grey and
Oak see
pages 9 & 16.



PRIMED

Size (mm)	Code
1981 x 610 x 35	LTHA1L20
1981 x 686 x 35	LTHA1L23
1981 x 762 x 35	LTHA1L26
1981 x 838 x 35	LTHA1L29
2040 x 626 x 40	LTHA1L626
2040 x 726 x 40	LTHA1L726
2040 x 826 x 40	LTHA1L826

PRIMED

Size (mm)	Code
1981 x 610 x 35	LTHA20
1981 x 686 x 35	LTHA23
1981 x 762 x 35	LTHA26
1981 x 838 x 35	LTHA29
2040 x 526 x 40	LTHA526
2040 x 626 x 40	LTHA626
2040 x 726 x 40	LTHA726
2040 x 826 x 40	LTHA826
FIRE DOORS 🔥	
1981 x 610 x 44	LTHA20FD30
1981 x 686 x 44	LTHA23FD30
1981 x 762 x 44	LTHA26FD30
1981 x 838 x 44	LTHA29FD30
2040 x 626 x 44	LTHA626FD30
2040 x 726 x 44	LTHA726FD30
2040 x 826 x 44	LTHA826FD30
2040 x 926 x 44	LTHA926FD30



Tigris White

Emral White

Mistral White

Mistral White Glazed





Finished white
5 ladder style panels,
grooved into MDF
Standard core
Certifire FD30 solid core
Fire Doors 🔥
🔒 Option for PAS 24

FINISHED

Size (mm)	Code
1981 x 610 x 35	LTIG20
1981 x 686 x 35	LTIG23
1981 x 762 x 35	LTIG26
1981 x 838 x 35	LTIG29
FIRE DOORS 🔥	
1981 x 610 x 44	LTIG20FD30
1981 x 686 x 44	LTIG23FD30
1981 x 762 x 44	LTIG26FD30
1981 x 838 x 44	LTIG29FD30

Matching Bi-fold
available, ask for details.

Tigris and Emral are available in
Light Grey, Dark Grey, Ivory and
Oak see pages 7, 8 & 18.



Finished white
5 ladder style panels,
grooved into MDF
Standard core
Clear flat safety glass with
flush beading

FINISHED

Size (mm)	Code
1981 x 686 x 35	LEMR23G
1981 x 762 x 35	LEMR26G
1981 x 838 x 35	LEMR29G
Glazed fire doors with raised beading available to order.	

All these doors
have Walnut
options, ask for
details.



White primed
3 ladder style panels,
grooved into MDF
Standard core
FD30 solid core
Fire Doors 🔥
🔒 Option for PAS 24

PRIMED

Size (mm)	Code
1981 x 610 x 35	LMIS20
1981 x 686 x 35	LMIS23
1981 x 762 x 35	LMIS26
1981 x 838 x 35	LMIS29
2040 x 526 x 40	LMIS526
2040 x 626 x 40	LMIS626
2040 x 726 x 40	LMIS726
2040 x 826 x 40	LMIS826
FIRE DOORS 🔥	
1981 x 686 x 44	LMIS23FD30
1981 x 762 x 44	LMIS26FD30
1981 x 838 x 44	LMIS29FD30
2040 x 726 x 44	LMIS726FD30
2040 x 826 x 44	LMIS826FD30
2040 x 926 x 44	LMIS926FD30

Matching Bi-fold
available, ask for details.

Vi View all these doors in our Door Visualiser




White primed
3 ladder style panels,
grooved into MDF
Standard core
Clear flat safety glass with
flush beading

PRIMED

Size (mm)	Code
1981 x 686 x 35	LMIS23G
1981 x 762 x 35	LMIS26G
1981 x 838 x 35	LMIS29G
2040 x 626 x 40	LMIS626G
2040 x 726 x 40	LMIS726G
2040 x 826 x 40	LMIS826G
Glazed fire doors with raised beading available to order.	

Mistral is also
available in Oak,
see page 19.

Adelphi



White primed
5 horizontal panels,
grooved into MDF
Standard core
FD30 solid core
Fire Doors 🔥

Matching
Bi-fold
available, ask
for details.



PRIMED	
Size (mm)	Code
1981 x 610 x 35	LADE20
1981 x 686 x 35	LADE23
1981 x 762 x 35	LADE26
1981 x 838 x 35	LADE29
FIRE DOORS 🔥	
1981 x 686 x 44	LADE23FD30
1981 x 762 x 44	LADE26FD30
1981 x 838 x 44	LADE29FD30

Dominion



White primed
5 horizontal panels,
grooved into MDF
Etched flat safety glass
(fire glass for FD30) with
clear rectangle pattern
and raised beading
Standard core
FD30 solid core
Fire Doors 🔥

PRIMED	
Size (mm)	Code
1981 x 686 x 35	LDOM23
1981 x 762 x 35	LDOM26
1981 x 838 x 35	LDOM29
FIRE DOORS 🔥	
1981 x 762 x 44	LDOM26FD30
1981 x 838 x 44	LDOM29FD30

Axis White



White primed
Wide shaker panel
design
Semi-solid core

Axis is also
available in
Oak, see
page 20.



PRIMED	
Size (mm)	Code
1981 x 610 x 35	SAXI20
1981 x 686 x 35	SAXI23
1981 x 762 x 35	SAXI26
1981 x 838 x 35	SAXI29

Axis White Glazed



White primed
Wide shaker panel
design
Semi-solid core
Clear flat safety glass

Matching
Bi-folds
available,
ask
for details.



PRIMED	
Size (mm)	Code
1981 x 610 x 35	SAXI20G
1981 x 686 x 35	SAXI23G
1981 x 762 x 35	SAXI26G
1981 x 838 x 35	SAXI29G

Vi View all these doors except Adelphi and Dominion in our Door Visualiser

Rushmore White



White primed
Four recessed panels
Solid core
FD30 Fire Doors 🔥

PRIMED	
Size (mm)	Code
1981 x 610 x 35	CRUS20
1981 x 686 x 35	CRUS23
1981 x 762 x 35	CRUS26
1981 x 838 x 35	CRUS29
FIRE DOORS 🔥	
1981 x 686 x 44	CRUS23FD30
1981 x 762 x 44	CRUS26FD30
1981 x 838 x 44	CRUS29FD30



Also available in
Oak, see pages
24 & 25.

Rushmore White Glazed



White primed
Recessed bottom panels
Solid core
Clear flat safety glass in
top panels

PRIMED	
Size (mm)	Code
1981 x 762 x 35	CRUSTL26

Montserrat



White primed
Four recessed panels
Solid core
FD30 Fire Doors 🔥

PRIMED	
Size (mm)	Code
1981 x 610 x 35	CMON20
1981 x 686 x 35	CMON23
1981 x 762 x 35	CMON26
1981 x 838 x 35	CMON29
FIRE DOORS 🔥	
1981 x 610 x 44	CMON20FD30
1981 x 686 x 44	CMON23FD30
1981 x 762 x 44	CMON26FD30
1981 x 838 x 44	CMON29FD30

Cayman



White primed
Clear flat safety glass
Solid core

Matching
Bi-folds
available,
ask
for details.



PRIMED	
Size (mm)	Code
1981 x 686 x 35	CCAY23
1981 x 762 x 35	CCAY26
1981 x 838 x 35	CCAY29

Make a
statement with a
pocket door
system
see page 48

Jamaica



White primed
Flat panel with
decorative muntins
Solid core
FD30 Fire Doors 🔥

Trinidad



White primed
Decorative muntins
Clear flat safety glass
Solid core

Antigua



White primed
Full recessed panel
Solid core
FD30 Fire Doors 🔥

Tobago



White primed
Clear flat safety glass
Solid core
FD30 Fire Door 🔥
[includes raised
beading]



Matching
Bi-folds
available,
ask for
details.



PRIMED	
Size (mm)	Code
1981 x 610 x 35	CANTI20
1981 x 686 x 35	CANTI23
1981 x 762 x 35	CANTI26
1981 x 838 x 35	CANTI29
FIRE DOORS 🔥	
1981 x 686 x 44	CJAM23FD30
1981 x 762 x 44	CJAM26FD30
1981 x 838 x 44	CJAM29FD30

PRIMED	
Size (mm)	Code
1981 x 610 x 35	CTOB23
1981 x 686 x 35	CTOB26
1981 x 762 x 35	CTOB29
FIRE DOORS 🔥	
1981 x 762 x 44	CTOB26FD30
1981 x 838 x 44	CTOB29FD30



Also available in Oak,
see pages 23 & 24.

Vi View Antigua and Tobago
in our Door Visualiser

Belton



White primed
Flat panel with
decorative flush
mouldings
Solid core
FD30 Fire Doors 🔥

Belton Clear
Glazed



White primed
Clear flat safety glass
with decorative flush
mouldings
Solid core

Belton Etched
Glazed



White primed
Etched flat safety glass
with a clear perimeter
and decorative flush
mouldings
Solid core

Hardwick



White primed
Flat panels with
decorative flush
mouldings
Solid core
FD30 Fire Doors 🔥

PRIMED	
Size (mm)	Code
1981 x 610 x 35	SBEL20
1981 x 686 x 35	SBEL23
1981 x 762 x 35	SBEL26
1981 x 838 x 35	SBEL29
FIRE DOORS 🔥	
1981 x 610 x 44	SBEL20FD30
1981 x 686 x 44	SBEL23FD30
1981 x 762 x 44	SBEL26FD30
1981 x 838 x 44	SBEL29FD30

PRIMED	
Size (mm)	Code
1981 x 610 x 35	SBEL1L20
1981 x 686 x 35	SBEL1L23
1981 x 762 x 35	SBEL1L26
1981 x 838 x 35	SBEL1L29

PRIMED	
Size (mm)	Code
1981 x 686 x 35	SBEL1L2C23
1981 x 762 x 35	SBEL1L2C26
1981 x 838 x 35	SBEL1L2C29

PRIMED	
Size (mm)	Code
1981 x 610 x 35	SHAR20
1981 x 686 x 35	SHAR23
1981 x 762 x 35	SHAR26
1981 x 838 x 35	SHAR29
FIRE DOORS 🔥	
1981 x 610 x 44	SHAR20FD30
1981 x 686 x 44	SHAR23FD30
1981 x 762 x 44	SHAR26FD30
1981 x 838 x 44	SHAR29FD30

Make a
statement with a
pocket door
system
see page 48

Vi View all these doors in
our Door Visualiser

Add the finishing touch...
see page 45



Osborne



White primed
Flat panels with
decorative flush
mouldings
Solid core
FD30 Fire Doors 🔥

PRIMED		
Size (mm)	Code	
1981 x 610 x 35	SOSB20	
1981 x 686 x 35	SOSB23	
1981 x 762 x 35	SOSB26	
1981 x 838 x 35	SOSB29	
FIRE DOORS 🔥		
1981 x 610 x 44	SOSB20FD30	
1981 x 686 x 44	SOSB23FD30	
1981 x 762 x 44	SOSB26FD30	
1981 x 838 x 44	SOSB29FD30	

Catton




White primed
Flat panels with
decorative flush
mouldings
Solid core
FD30 Fire Doors 🔥

PRIMED		
Size (mm)	Code	
1981 x 610 x 35	SCAT20	
1981 x 686 x 35	SCAT23	
1981 x 762 x 35	SCAT26	
1981 x 838 x 35	SCAT29	
FIRE DOORS 🔥		
1981 x 610 x 44	SCAT20FD30	
1981 x 686 x 44	SCAT23FD30	
1981 x 762 x 44	SCAT26FD30	
1981 x 838 x 44	SCAT29FD30	

Catton
Glazed

White primed
Clear flat safety glass
with decorative flush
mouldings
Solid core

PRIMED		
Size (mm)	Code	
1981 x 610 x 35	SCAT3L20	
1981 x 686 x 35	SCAT3L23	
1981 x 762 x 35	SCAT3L26	
1981 x 838 x 35	SCAT3L29	

4 Line
Horizontal

White primed
Moulded panel
smooth finish
Standard core
FD30 semi-solid core
Fire Doors 🔥

PRIMED SMOOTH		
Size (mm)	Code	
1981 x 610 x 35	PAT20	
1981 x 686 x 35	PAT23	
1981 x 762 x 35	PAT26	
1981 x 838 x 35	PAT29	
FIRE DOORS 🔥		
1981 x 610 x 44	PAT20FD30	
1981 x 686 x 44	PAT23FD30	
1981 x 762 x 44	PAT26FD30	
1981 x 838 x 44	PAT29FD30	

4 Line
Horizontal
Glazed

White primed
Moulded panel
smooth finish
Standard core
Clear flat safety glass
with flush beading

PRIMED SMOOTH		
Size (mm)	Code	
1981 x 762 x 35	PAT26G	
FIRE DOORS 🔥		
1981 x 610 x 44	QUA20FD30	
1981 x 686 x 44	QUA23FD30	
1981 x 762 x 44	QUA26FD30	
1981 x 838 x 44	QUA29FD30	

Quattro



White primed
Moulded panel
smooth finish
Standard core
FD30 semi-solid core
Fire Doors 🔥
Option for PAS 24

PRIMED SMOOTH		
Size (mm)	Code	
1981 x 610 x 35	QUA20	
1981 x 686 x 35	QUA23	
1981 x 711 x 35	QUA24	
1981 x 762 x 35	QUA26	
1981 x 838 x 35	QUA29	
FIRE DOORS 🔥		
1981 x 610 x 44	QUA20FD30	
1981 x 686 x 44	QUA23FD30	
1981 x 762 x 44	QUA26FD30	
1981 x 838 x 44	QUA29FD30	

Quattro
Glazed

White primed
Moulded panel
smooth finish
Standard core
Clear flat safety glass,
flush beaded

PRIMED SMOOTH		
Size (mm)	Code	
1981 x 686 x 35	QUA4L23	
1981 x 762 x 35	QUA4L26	
1981 x 838 x 35	QUA4L29	

Add the finishing touch...
see page 45



Vi View the Osborne and Catton
in our Door Visualiser

Make a
statement with
a pocket door
system
see page 48

Cottage 5



White primed
Moulded panel
grained effect
Standard core
FD30 semi-solid core
Fire Doors 🔥
🔒 Option for PAS 24

PRIMED GRAINED

Size (mm)	Code
1981 x 610 x 35	MCOT520
1981 x 686 x 35	MCOT523
1981 x 762 x 35	MCOT526
1981 x 838 x 35	MCOT529

FIRE DOORS 🔥

1981 x 610 x 44	MCOT520FD30
1981 x 686 x 44	MCOT523FD30
1981 x 762 x 44	MCOT526FD30
1981 x 838 x 44	MCOT529FD30

Add the finishing touch...
see page 45



Cottage 1 Light



White primed
Moulded panel
grained effect
Clear flat safety glass
with etched lines and
flush beading
Standard core

PRIMED GRAINED

Size (mm)	Code
1981 x 686 x 35	MCOT51L23
1981 x 762 x 35	MCOT51L26
1981 x 838 x 35	MCOT51L29

Faro



White primed
Moulded panel
grained effect
Clear flat safety glass
with flush beading
Standard core
FD30 solid core
Fire Doors 🔥

PRIMED GRAINED

Size (mm)	Code
1981 x 686 x 35	CAPFAR23
1981 x 762 x 35	CAPFAR26
1981 x 838 x 35	CAPFAR29

FIRE DOORS 🔥

1981 x 762 x 44	CAPFAR26FD30
1981 x 838 x 44	CAPFAR29FD30

FARO FD30:
Clear flat fire
glass with
etched lines
and raised
perimeter
beading



Decima



White primed
Moulded panel
grained effect
Clear bevelled safety
glass with brushed
chrome camings
and raised perimeter
beading
Standard core

PRIMED GRAINED

Size (mm)	Code
1981 x 686 x 35	CCAPDEC23
1981 x 762 x 35	CCAPDEC26
1981 x 838 x 35	CCAPDEC29

Caprice



White primed
Moulded panel
grained effect
Standard core
FD30 semi-solid core
Fire Doors 🔥

PRIMED GRAINED

Size (mm)	Code
1981 x 610 x 35	CAP20
1981 x 686 x 35	CAP23
1981 x 762 x 35	CAP26
1981 x 838 x 35	CAP29
2040 x 726 x 40	CAP726
2040 x 826 x 40	CAP826

FIRE DOORS 🔥

1981 x 610 x 44	CAP20FD30
1981 x 686 x 44	CAP23FD30
1981 x 762 x 44	CAP26FD30
1981 x 838 x 44	CAP29FD30
2040 x 726 x 44	CAP726FD30
2040 x 826 x 44	CAP826FD30
2040 x 926 x 44	CAP926FD30

Canterbury



White primed
Moulded panel grained
and smooth effect
Standard core
FD30 semi-solid core
Fire Doors 🔥

PRIMED GRAINED

Size (mm)	Code
1981 x 610 x 35	CAN20
1981 x 686 x 35	CAN23
1981 x 711 x 35	CAN24
1981 x 762 x 35	CAN26
1981 x 838 x 35	CAN29
2032 x 813 x 35	CAN28
2040 x 626 x 40	CAN626
2040 x 726 x 40	CAN726
2040 x 826 x 40	CAN826

FIRE DOORS 🔥

1981 x 610 x 44	CANHH20
1981 x 686 x 44	CANHH23
1981 x 762 x 44	CANHH26
1981 x 838 x 44	CANHH29
2032 x 813 x 44	CANHH28
2040 x 726 x 44	CANHH726
2040 x 826 x 44	CANHH826
2040 x 926 x 44	CANHH926

PRIMED SMOOTH

Size (mm)	Code
1981 x 610 x 35	SMCAN20
1981 x 686 x 35	SMCAN23
1981 x 762 x 35	SMCAN26
1981 x 838 x 35	SMCAN29

FIRE DOORS 🔥

1981 x 610 x 44	SMCANHH20
1981 x 686 x 44	SMCANHH23
1981 x 711 x 44	SMCANHH24
1981 x 762 x 44	SMCANHH26
1981 x 838 x 44	SMCANHH29
2032 x 813 x 44	SMCANHH28
2040 x 926 x 44	SMCANHH926

Canterbury 2 Panel



PRIMED GRAINED

Size (mm)	Code
1981 x 457 x 35	CAN16
1981 x 533 x 35	CAN19
2040 x 526 x 40	CAN526

Canterbury 2 Light (Grained)




White primed
Moulded panel
grained effect
Etched flat safety glass
with clear diamond
pattern lines and
flush beading
Standard core


PRIMED GRAINED WITH ETCHED GLASS

Size (mm)	Code
1981 x 686 x 35	CANGL23
1981 x 762 x 35	CANGL26
1981 x 838 x 35	CANGL29
2032 x 813 x 35	CANGL28
2040 x 726 x 40	CANGL726

Grained



Smooth



Canterbury 2 Light (Smooth)



White primed
Moulded panel
smooth effect
Clear flat safety glass
with flush beading
Standard core

PRIMED SMOOTH WITH CLEAR GLASS

Size (mm)	Code
1981 x 686 x 35	SMCANGLC23
1981 x 762 x 35	SMCANGLC26
1981 x 838 x 35	SMCANGLC29

Canterbury 2 Light FD30



White primed
Moulded panel
grained effect
Clear flat fire glass
with raised beading
Solid core
FD30 Fire Doors 🔥

PRIMED GRAINED FIRE DOORS 🔥

Size (mm)	Code
1981 x 762 x 44	CANGL26FD30
1981 x 838 x 44	CANGL29FD30

Canterbury Bi-fold



White primed
Moulded panel
grained effect
Standard core

PRIMED GRAINED

Size (mm)	Code
1981 x 610 x 35	CANBF20
1981 x 762 x 35	CANBF26

Canterbury Glazed Bi-fold



White primed
Moulded panel
grained effect
Etched flat safety glass
with clear diamond
pattern lines and
flush beading
Standard core

PRIMED GRAINED

Size (mm)	Code
1981 x 762 x 35	CANBFGLT26

Colonist



White primed
Moulded panel grained and
smooth effect
Standard core
FD30 semi-solid core Fire Doors 🔥

**METRIC
SIZES
AVAILABLE**

PRIMED GRAINED

Size (mm)	Code
1981 x 610 x 35	COL20
1981 x 686 x 35	COL23
1981 x 711 x 35	COL24
1981 x 762 x 35	COL26
1981 x 838 x 35	COL29
2032 x 813 x 35	COL28
2040 x 626 x 40	COL626
2040 x 726 x 40	COL726
2040 x 826 x 40	COL826
FIRE DOORS 🔥	
1981 x 610 x 44	COLHH20
1981 x 686 x 44	COLHH23
1981 x 762 x 44	COLHH26
1981 x 838 x 44	COLHH29
2032 x 813 x 44	COLHH28
2040 x 726 x 44	COLHH726
2040 x 826 x 44	COLHH826
2040 x 926 x 44	COLHH926

PRIMED SMOOTH

Size (mm)	Code
1981 x 610 x 35	SMCOL20
1981 x 686 x 35	SMCOL23
1981 x 762 x 35	SMCOL26
1981 x 838 x 35	SMCOL29
2032 x 813 x 35	SMCOL28
FIRE DOORS 🔥	
1981 x 686 x 44	SMCOLHH23
1981 x 762 x 44	SMCOLHH26
1981 x 838 x 44	SMCOLHH29
2032 x 813 x 44	SMCOLHH28

Colonist 3 Panel



Colonist Bi-fold



White primed
Moulded panel
grained effect
Standard core

PRIMED GRAINED

Size (mm)	Code
1981 x 457 x 35	COL16
1981 x 533 x 35	COL19
2040 x 526 x 40	COL526
1981 x 762 x 35	COLBF26
1981 x 914 x 35	COLBF30

PRIMED GRAINED

Size (mm)	Code
1981 x 457 x 35	SMCOL16
1981 x 533 x 35	SMCOL19

PRIMED SMOOTH

Size (mm)	Code
1981 x 457 x 35	SMCOL16
1981 x 533 x 35	SMCOL19

Grained

Smooth

Make a
statement with
a pocket door
system

see page 48

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



Classique



White primed
Moulded panel grained effect
Standard core
FD30 semi-solid core Fire Doors 🔥

PRIMED GRAINED	
Size (mm)	Code
1981 x 533 x 35	CLA19
1981 x 610 x 35	CLA20
1981 x 686 x 35	CLA23
1981 x 711 x 35	CLA24
1981 x 762 x 35	CLA26
1981 x 838 x 35	CLA29
2032 x 813 x 35	CLA28
2040 x 726 x 40	CLA726
2040 x 826 x 40	CLA826

FIRE DOORS 🔥	
1981 x 686 x 44	CLAAH23
1981 x 762 x 44	CLAAH26
1981 x 838 x 44	CLAAH29

Classique
6 Light



White primed
Moulded panel
grained effect
Clear flat safety glass
with flush beading
Standard core


PRIMED GRAINED	
Size (mm)	Code
1981 x 686 x 35	CLAGLS23
1981 x 762 x 35	CLAGLS26
1981 x 838 x 35	CLAGLS29
2032 x 813 x 35	CLAGLS28

Classique
Bi-fold



White primed
Moulded panel
grained effect
Standard core

PRIMED GRAINED	
Size (mm)	Code
1981 x 610 x 35	CLABF20
1981 x 762 x 35	CLABF26



DOOR HANDLE PACKS

Everything you need in one box

Our handle packs are available in a variety of finishes and styles – from knurled black, smooth light and dark grey satin, to contemporary chrome and stainless steel – providing an affordable and quality range of designs.

10 Year Guarantee

There's a 10 year parts and mechanism guarantee with all our handle packs.



NEW Arlington Black

Knurled matt black



Standard pack **IARLLPMB**
Privacy pack **IARLPPMB**

NEW Arlington Satin

Knurled satin stainless steel



Standard pack **IARLLPSS**
Privacy pack **IARLPPSS**

What's in the box?

Standard latch pack

Privacy latch pack

All of our handle packs come with a pair of lever handles and three quality ball bearing hinges. Standard latch packs include a mortice latch and strike plate. Privacy latch packs come with a privacy latch, bathroom turn and release and strike plate.

Please note: i) Black door handles are supplied with matching black hinges and face plates. ii) the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.



Phoenix Black

Black powder coated soft touch



Standard pack **IPHOBLACKLP**
Privacy pack **IPHOBLACKPP**

Phoenix Satin

Satin stainless steel



Standard pack **IPHOSTEELLP**
Privacy pack **IPHOSTEELPP**

Raven Black

Black matt



Standard pack **RAVLP**
Privacy pack **RAVPP**

Raven Polished

Polished stainless steel



Standard pack **RAVPSLP**
Privacy pack **RAVPSPP**

NEW Atlanta

Satin and polished chrome



Standard pack **IATLLP**
Privacy pack **IATLPP**

NEW Detroit

Satin stainless steel



Standard pack **IDETLP**
Privacy pack **IDETPP**

NEW Miami

Satin and polished chrome



Standard pack **IMIALP**
Privacy pack **IMIAPP**

Boston

Satin and polished chrome



Standard pack **IBOSLP**
Privacy pack **IBOSPP**

Dallas

Satin and polished chrome



Standard pack **IDALLP**
Privacy pack **IDALPP**

Portland


Satin and polished stainless steel



Standard pack **IPORLP**
Privacy pack **IPORPP**

Austin Light Grey

Satin light grey with polished chrome



Standard pack **IAUSLIGHTGREYLP**
Privacy pack **IAUSLIGHTGREYPP**

Denver Light Grey

Satin light grey with polished chrome



Standard pack **IDENLIGHTGREYLP**
Privacy pack **IDENLIGHTGREYPP**

Houston Light Grey

Satin light grey with polished chrome



Standard pack **IHOULIGHTGREYLP**
Privacy pack **IHOULIGHTGREYPP**

Seattle


Satin and polished chrome



Standard pack **ISEALP**
Privacy pack **ISEAPP**

Austin Dark Grey


Satin dark grey with polished chrome



Standard pack **IAUSDARKGREYLP**
Privacy pack **IAUSDARKGREYPP**

Denver Dark Grey

Satin dark grey with polished chrome



Standard pack **IDENDARKGREYLP**
Privacy pack **IDENDARKGREYPP**

Houston Dark Grey

Satin dark grey with polished chrome



Standard pack **IHOUDARKGREYLP**
Privacy pack **IHOUDARKGREYPP**



POCKET DOOR SYSTEMS

Key features:

Fitted in half the time of other brands.

Designed for stud and plasterboard.

The internal pocket cavity is protected by a cover during installation.

Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.

Door choice can be changed in the future without structural alteration to the wall.


Gives a finished wall thickness of 125mm.

Suits door thickness 35mm.


Maximum door weight 80kg.

Compatible sliding door hardware available.

Available in single and double format.




Single Pocket Door



Single Pocket Door System

Code	Door Size	
(mm)	Width	Height
POCSYSSGL686	686	1981
POCSYSSGL762	762	1981
POCSYSSGL838	838	1981
POCSYSSGL915	915	1981

Double Pocket Door*



Double Pocket Door Conversion Kit*

Code	Single Door Size	
(mm)	Width	Height
DBLLEAFKIT686	686	1981
DBLLEAFKIT762	762	1981
DBLLEAFKIT838	838	1981
DBLLEAFKIT915	915	1981

See website for full sizing guide.

*For a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit.


eg. 2 x POCSYSSGL686 and 1 x DBLLEAFKIT686

Door Grooving

The bottom edge of the door will need to be grooved to fit in the floor guide. If required, JB Kind's in-house joinery workshop can pre-groove doors prior to delivery, for a small charge.

Timber Accessory Kits

Accessory Kits are required to complete pocket door installation. Available in either white primed or varnished oak.



Single pocket door kit (shown in oak)

Includes: 2 x cover moulds with brush seals, header cover and jamb with seals




Double pocket door kit (shown as white primed)

Includes: 4 x cover moulds with brush seals and 2 x header covers

Finish	Door Size	Timber Accessory Kit Code
White primed	Single	SQLWPRIAC
White primed	Double	DBLWPRIAC
Oak varnished	Single	SQLVOAC
Oak varnished	Double	DBLVOAC

Pocket Door System Accessories



Flush Door Pull Pack

Includes: 2 circular flush pulls and a round finger pull for the door edge



Flush Bathroom Door Pack

Includes: turn and release, flush latch, adjustable keep (not shown) and finger pull

	Code	Finish
Soft Close Damper Unit	SCDAMPER	
Automatic Door Closer	ACLOSER	
Flush Door Pull Pack	CIRCPULL	satin stainless steel
	MBCIRCPULL	matt black
Flush Bathroom Door Pack	CIRCBATHLOCK	satin stainless steel
	MBCIRCBATHLOCK	matt black



VENEERED FLUSH




FINISHED VENEER

What makes our Veneered Flush range great value?

Constructed with a full timber frame (unlike alternatives on the market) both our standard and **FD30** veneered flush doors are manufactured to a higher standard, plus they are priced more competitively.

Veneered Flush Standard Door Construction



Veneered Flush **FD30 Fire Door Construction**



Option for PAS 24 fire resistant flat entrance door sets, see pages 60 & 61.

Bespoke options:

FD30 glazing service, special sizes and alternative veneers are available to order.



Oak

Real wood flush veneers
Supplied fully finished
Full timber framed construction
Standard core (solid core for FD30)
FD30 glazing service
Certifire FD30 Fire Doors
Option for PAS 24



METRIC SIZES AVAILABLE



FINISHED

Size (mm)	Code
1981 x 610 x 35	MOAK201
1981 x 686 x 35	MOAK231
1981 x 762 x 35	MOAK261
1981 x 838 x 35	MOAK291
2040 x 726 x 40	MOAK726
2040 x 826 x 40	MOAK826
FIRE DOORS	
1981 x 610 x 44	KOAK202
1981 x 686 x 44	KOAK232
1981 x 762 x 44	KOAK262
1981 x 838 x 44	KOAK292
1981 x 915 x 44	KOAK302
2032 x 813 x 44	KOAK282
2040 x 626 x 44	KOAK626
2040 x 726 x 44	KOAK726
2040 x 826 x 44	KOAK826
2040 x 926 x 44	KOAK926

Ash



METRIC SIZES AVAILABLE



FINISHED

Size (mm)	Code
1981 x 533 x 35	MASH191
1981 x 610 x 35	MASH201
1981 x 686 x 35	MASH231
1981 x 762 x 35	MASH261
1981 x 838 x 35	MASH291
FIRE DOORS	
1981 x 610 x 44	KASH202
1981 x 686 x 44	KASH232
1981 x 762 x 44	KASH262
1981 x 838 x 44	KASH292
1981 x 915 x 44	KASH302
2032 x 813 x 44	KASH282
2040 x 726 x 44	KASH726
2040 x 826 x 44	KASH826
2040 x 926 x 44	KASH926

Walnut



FINISHED

Size (mm)	Code
1981 x 610 x 35	MWAL201
1981 x 686 x 35	MWAL231
1981 x 762 x 35	MWAL261
1981 x 838 x 35	MWAL291
FIRE DOORS	
1981 x 686 x 44	KWAL232
1981 x 762 x 44	KWAL262
1981 x 838 x 44	KWAL292

Bespoke options:

FD30 glazing service,
special sizes and
alternative veneers are
available to order.

Beech



METRIC SIZES AVAILABLE



FINISHED

Size (mm)	Code
1981 x 686 x 44	KBEE232
1981 x 762 x 44	KBEE262
1981 x 838 x 44	KBEE292
2040 x 826 x 44	KBEE826
2040 x 926 x 44	KBEE926

Sapele



METRIC SIZES AVAILABLE



FINISHED

Size (mm)	Code
1981 x 381 x 35	MSAP131
1981 x 457 x 35	MSAP161
1981 x 533 x 35	MSAP191
1981 x 610 x 35	MSAP201
1981 x 686 x 35	MSAP231
1981 x 711 x 35	MSAP241
1981 x 762 x 35	MSAP261
1981 x 838 x 35	MSAP291
1981 x 915 x 35	MSAP301
2032 x 813 x 35	MSAP281
2040 x 726 x 40	MSAP726
2040 x 826 x 40	MSAP826
2040 x 926 x 40	MSAP926
FIRE DOORS	
1981 x 610 x 44	KSAP202
1981 x 686 x 44	KSAP232
1981 x 762 x 44	KSAP262
1981 x 838 x 44	KSAP292
1981 x 915 x 44	KSAP302
2032 x 813 x 44	KSAP282
2040 x 726 x 44	KSAP726
2040 x 826 x 44	KSAP826
2040 x 926 x 44	KSAP926



FD30 GLAZING SERVICE

Glazed FD30 & Part M (mobility) compliant options


Any of our Warringtonfire Certifire certificated flush door designs can be adapted into an apertured fire door. Our in-house service is prompt and economical, guaranteeing correct assembly. Flush doors with FD30 apertures must be supplied ready glazed to comply with our Certifire certification. Aperture cutting by a third party may invalidate the original door certification.

Part M Mobility

Building Regulations Part M dictates the requirements for glazed doors in specific locations. The diagram offers general guidance but for specific information, please check the Building Regulations.



Please check current building regulations



Do you need FD30 glazing?
Call us for details on Tel: **01283 554197**

Type 1G

450mm x 450mm
Central

Type 8G

508mm x 800mm
Central

Type 11G

150mm x 700mm 150mm x 775mm

Type 12G

150mm x 1150mm

Type 20G

150mm x 1440mm

Type 30G

1600mm x 600mm
MAX

More aperture dimensions are available, please contact us with your requirements.

FLUSH FOR PAINT – INTERNAL PAINT GRADE FLUSH DOORS

Paint Grade Flush Trade Value (IPLY)

Supplied unfinished
Paintgrade mixed veneer
Standard core



UNFINISHED		
Size (mm)		Code
1981 x 610 x 35		IPLY20
1981 x 686 x 35		IPLY23
1981 x 762 x 35		IPLY26
1981 x 838 x 35		IPLY29



Paint Grade Flush Trade Value Plus+

Supplied unfinished
Paintgrade hardwood veneer
Standard core (solid/tube core for FD30)
Certifire FD30 fire doors 🔥
FD30 glazing service 🔥
🔒 Option for PAS 24



Bespoke options:

FD30 glazing service
and special sizes are
available to order.



UNFINISHED

Size (mm)	Code
1981 x 381 x 35	NPLY131
1981 x 457 x 35	NPLY161
1981 x 533 x 35	NPLY191
1981 x 610 x 35	NPLY201
1981 x 686 x 35	NPLY231
1981 x 711 x 35	NPLY241
1981 x 762 x 35	NPLY261
1981 x 838 x 35	NPLY291
1981 x 915 x 35	NPLY301
2032 x 813 x 35	NPLY281
2040 x 526 x 40	NPLY526
2040 x 626 x 40	NPLY626
2040 x 726 x 40	NPLY726
2040 x 826 x 40	NPLY826
2040 x 926 x 40	NPLY926

FIRE DOORS 🔥

Size (mm)	Code
1981 x 457 x 44	KINT162
1981 x 533 x 44	KINT192
1981 x 610 x 44	KINT202
1981 x 686 x 44	KINT232
1981 x 711 x 44	KINT242
1981 x 762 x 44	KINT262
1981 x 838 x 44	KINT292
1981 x 915 x 44	KINT302
2032 x 813 x 44	KINT282
2040 x 526 x 44	KINT526
2040 x 626 x 44	KINT626
2040 x 726 x 44	KINT726
2040 x 826 x 44	KINT826
2040 x 926 x 44	KINT926

METRIC
SIZES
AVAILABLE



White Primed Interior Hardboard Flush



White primed
Standard core (solid/tube
core for FD30)
Certifire FD30 fire doors 🔥
🔒 Option for PAS 24

PRIMED

Size (mm)	Code
1981 x 457 x 35	NWPD161
1981 x 533 x 35	NWPD191
1981 x 610 x 35	NWPD201
1981 x 686 x 35	NWPD231
1981 x 711 x 35	NWPD241
1981 x 762 x 35	NWPD261
1981 x 838 x 35	NWPD291
2032 x 813 x 35	NWPD281
FIRE DOORS 🔥	
1981 x 686 x 44	KWPD232
1981 x 762 x 44	KWPD262
1981 x 838 x 44	KWPD292

Paint Grade Flush Interior FD30 1 Glazed Opening



Supplied unfinished
Certifire FD30 fire doors 🔥
FD30 wired glass
Solid/tube core

UNFINISHED FIRE DOORS 🔥

Size (mm)	Code
1981 x 762 x 44	KIGOG26
1981 x 838 x 44	KIGOG29
2032 x 813 x 44	KIGOG28

Paint Grade Flush Interior FD30 2 Glazed Openings



Supplied unfinished
Certifire FD30 fire doors 🔥
Factory glazed with
FD30 wired glass
Solid/tube core

UNFINISHED FIRE DOORS 🔥

Size (mm)	Code
1981 x 762 x 44	KINTT6G26
1981 x 838 x 44	KINTT6G29
2040 x 926 x 44	KINTT6G926

FLUSH FOR PAINT

– EXTERNAL PAINT GRADE FLUSH DOORS

Plywood Flush Exterior



Supplied unfinished
Standard core (solid/
tube core for FD30)
FD30 fire doors 🔥

UNFINISHED	
Size (mm)	Code
1981 x 686 x 44	JETI232
1981 x 762 x 44	JETI262
1981 x 838 x 44	JETI292
2032 x 813 x 44	JETI282
FIRE DOORS 🔥	
1981 x 686 x 44	KEXT232
1981 x 762 x 44	KEXT262
1981 x 838 x 44	KEXT292
1981 x 915 x 44	KEXT302
2032 x 813 x 44	KEXT282
2040 x 726 x 44	KEXT726
2040 x 826 x 44	KEXT826
2040 x 926 x 44	KEXT926

Plywood Flush Exterior with Unglazed Opening



Supplied unfinished
Unglazed
Standard core

UNFINISHED	
Size (mm)	Code
1981 x 762 x 44	JETI262
1981 x 838 x 44	JETI292
2032 x 813 x 44	JETI282

SOFTWOOD BOARDED EXTERNAL

External boarded doors and gates, prepared ready to finish

Manufactured to a high standard, but not recommended for use externally where exposed to central heating on the inside.

It is essential these doors and gates are thoroughly painted prior to exposure to the weather in accordance with our door care advice. Face knots should be sealed prior to painting to prevent resin bleed, which can result where exposed to ultra violet light. Screw or staple holes will need filling prior to decoration.

DO NOT use penetrating stains.

Oxford Arched Gate



UNFINISHED	
Size (mm)	Code
1829 x 915 x 38	POAG915

FL&B Door



UNFINISHED	
Size (mm)	Code
1981 x 610 x 44	PFLB202
1981 x 686 x 44	PFLB232
1981 x 762 x 44	PFLB262
1981 x 838 x 44	PFLB292
1981 x 915 x 44	PFLB302
2032 x 813 x 44	PFLB282

L&B Door



UNFINISHED	
Size (mm)	Code
1981 x 610 x 16	PLB6620
1981 x 686 x 16	PLB6623
1981 x 762 x 16	PLB6626
1981 x 838 x 16	PLB6629
1981 x 915 x 16	PLB6630
2032 x 813 x 16	PLB6828

Gate




UNFINISHED	
Size (mm)	Code
915 x 915 x 42	PGA3030
915 x 1067 x 42	PGA3036
915 x 1220 x 42	PGA3040
1067 x 915 x 42	PGA3630
1067 x 1067 x 42	PGA3636

PAS 24 SECURITY DOORSETS

Fully compliant PAS 24 fire resistant flat entrance door sets

We hold our own PAS 24 Enhanced Security and Certifire certification, having developed and tested a fully compliant door leaf. You can be assured that your doorsets will be manufactured to the highest quality – observing and adhering to the most recent performance and legislative requirements.



Everything is covered with a JB Kind PAS 24 Security Fire Doorset

- ✓ PAS 24 Enhanced Security
- ✓ Certifire approved 30 minute fire doors
- ✓ Acoustic rated
- ✓ Smoke control tested
- ✓ Fully assembled flat entrance doorsets
- ✓ Certified ironmongery with optional extras
- ✓ Flexible design and finish options
- ✓ Standard and bespoke sizes
- ✓ Matching interior doorsets



PAS 24



FD30



ACOUSTIC



SMOKE CONTROL



Door Design Options

Choose from a wide range of door designs, a selection of which are shown here:

Tigris Oak



Mistral Oak



Thames Oak



Chartwell



Oak Flush



Pintado Grey



Tigris White



Mistral White



Quattro



Thames White



Tigris Walnut



Mistral Walnut



More design options are available.

If you have an enquiry or would like to find out more about JB Kind's PAS 24 Security and/or Internal Doorset services please visit jbkind.com or contact our Sales team on **01283 554197** or info@jbkind.com.

Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application

of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch/locks etc. should be cut to the minimum recommended sizes. Panel door rail joints will be significantly weakened if mortises are located there. On completion remove doors, taking off all ironmongery and treat every cut/untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay attention to all edges of your door, particularly any exposed end grain where the propensity for moisture is much greater.

Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our Finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way

projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the British standards.

IMPORTANT

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Certificated Fire Doors

Fire doors certificated by Warringtonfire are identified by  Certify FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.

Guarantee

We are proud of the quality of our products and use the best manufacturing processes, materials and control systems to ensure a high quality of workmanship. For more information on our product guarantees, please visit jbkind.com



For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

Please refer to www.wood-finishes-direct.com for more information and to purchase these products directly.



Clear, water based acrylic varnish that is ideal for wooden doors.





Trade Discounts



Quotes & Estimates



Assisted Loading



Free Delivery



Website Always Open



Speedy Click & Collect

T: 0208 949 1621

Door size conversion chart:

A little help if you need to work out the metric and imperial equivalent for door sizes.

Height & Width

Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7'0" x 3'0"
2040 x 526	80 ¹ / ₄ " x 20 ¹¹ / ₁₆ "	6'8 ¹ / ₄ " x 1'8 ¹¹ / ₁₆ "
2040 x 626	80 ¹ / ₄ " x 24 ⁵ / ₈ "	6'8 ¹ / ₄ " x 2'0 ⁵ / ₈ "
2040 x 726	80 ¹ / ₄ " x 28 ⁵ / ₈ "	6'8 ¹ / ₄ " x 2'4 ⁵ / ₈ "
2040 x 826	80 ¹ / ₄ " x 32 ¹ / ₂ "	6'8 ¹ / ₄ " x 2'8 ¹ / ₂ "
2040 x 926	80 ¹ / ₄ " x 36 ⁷ / ₁₆ "	6'8 ¹ / ₄ " x 3'0 ⁷ / ₁₆ "



Portal Place, Astron Business Park, Heathcote Road,
Swadlincote, Derbyshire DE11 9DW
T: 01283 554197 E: info@jbkind.com

Follow our doors



CT-02-2024